

PATENT
ATTORNEY DOCKET NO. 01948/101002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Li et al. Confirmation No.: 1967
Serial No.: 10/575,127 Art Unit: 1636
371 (c) Date: June 11, 2007 Examiner: Dunston, Jennifer Ann
Patent No.: 7,850,959 Customer No.: 21559
Issued: December 14, 2010
Title: METHODS AND COMPOSITIONS FOR TREATING CONDITIONS INVOLVING ABNORMAL ANGIOGENESIS


REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Applicant hereby requests that a Certificate of Correction be issued in the patent identified above. The errors to be corrected were either made by the U.S.P.T.O. or are of a minor, typographical nature, occurred in good faith, and are described in detail on the enclosed PTO Form 1050.

Authorization to charge \$100.00 to Deposit Account No. 03-2095 in payment of the fee set forth in 37 C.F.R. § 1.20(a) is submitted herewith. If there are any other charges or any credits, please apply them to Deposit Account 03-2095.

Respectfully submitted,

Date: January 23, 2012


Kristina Bicker-Brady, Ph.D.
Reg. No. 39,109

Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Telephone: 617-428-0200
Facsimile: 617-428-7045

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. 7,850,959
DATED December 14, 2010
INVENTORS Li et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover page, under OTHER PUBLICATIONS, in Stewart et al., replace "vol. 36" with --vol. 37--.

Column 3, Lines 62, replace "In an embodiment of all of aspects" with --In an embodiment of all of the aspects--.

Column 6, Lines 54-55, replace "that reduces the reduces" with --that reduces--.

Column 12, Line 29, replace "condition The" with --condition. The--.

Column 13, Lines 41-42, replace "in the presence of absence of RTEF-1" with --in the presence or absence of RTEF-1--.

Column 19, Line 10, replace "SRI)" with --(MRI)--;

Line 20, replace "(I," with --(MRI),--.

Column 20, Line 30, replace "fall-length" with --full-length--.

Column 22, Lines 39-40, replace "by at least 10%, %, but possibly even 100% or more" with --by at least 10%, but possibly even 100% or more--.

Column 25, Lines 13-14, replace "is less tissue specific" with -- are less tissue specific--.

Column 32, Line 54, replace "FGFR1 is has" with --FGFR1 has--.

MAILING ADDRESS OF SENDER:

Kristina Bieker-Brady, Ph.D.
Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Customer No.: 21559

SUBSTITUTE FORM PTO 1050

PATENT NO. 7,850,959

NO. ADDITIONAL COPIES
@ 50¢ PER PAGE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. 7,850,959
DATED December 14, 2010
INVENTORS Li et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 34, Lines 56-57, replace "because that the adenovirus"
with --because the adenovirus--.

Column 35, Line 44, replace "arotic" with --aortic--.

MAILING ADDRESS OF SENDER:
Kristina Bieker-Brady, Ph.D.
Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Customer No.: 21559
SUBSTITUTE FORM PTO 1050

PATENT NO. 7,850,959
NO. ADDITIONAL COPIES
@ 50¢ PER PAGE
